



# Data/Registration Application

**American Simmental Association**  
 One Genetics Way, Bozeman, MT 59718  
 (406) 587-4531 fax (406) 587-9301

Applicant \_\_\_\_\_ Member Number \_\_\_\_\_ Breeder \_\_\_\_\_  
 Phone \_\_\_\_\_ Best time to call \_\_\_\_\_ Address \_\_\_\_\_  
 Signature \_\_\_\_\_

\* These fields are required for registering an animal : Dam Data, SireNbr, AnnmTat, TatLoc, Sex, BirthDt, MBC, AI, HPS, Color

<b>Dam Data</b>	DonorDamNbr	DonorDamTat	*BirthDamNbr	BirthDamTat	BirthDamBirthDt	BirthDamBrfCds	Dam Prod	Prod Year	Dam Wt	Dam Wt Dt	Dam Hght	Cow BCS						
	*SireNbr	*AnnmTat	*TatLoc	*Sex	Wt	*BirthDt	*MBC	CE	*AI	HD	Removal	Simbrah	Name (24 Characters and Spaces)	Reg	Cert			
<b>Calf Data</b>	Wt	DI	MC	PU	*HPS	*Color	HipHt	SheathSc	Year1	Wt	DI	FU	Sex	HipHt	ScrotalCirc	PelwCht	PelwWidth	
	Acct # _____ Business Name or First / Last Name _____ Address, City, State Zip _____																	
<b>Transfer</b>	Acct # _____ Business Name or First / Last Name _____ Address, City, State Zip _____																	
<b>Breeding Data</b>	Open	ASire1RegNbr	ASire1BrfDt	ASire1RegNbr	ASire1BrfDt	ASire2RegNbr	ASire2BrfDt	PassSire1RegNbr	PassSire1Indt	PassSire1OutDt	PassSire2RegNbr	PassSire2Indt	PassSire2OutDt	Mail To : Buyer _____ Seller _____				

<b>Dam Data</b>	DonorDamNbr	DonorDamTat	*BirthDamNbr	BirthDamTat	BirthDamBirthDt	BirthDamBrfCds	Dam Prod	Prod Year	Dam Wt	Dam Wt Dt	Dam Hght	Cow BCS						
	*SireNbr	*AnnmTat	*TatLoc	*Sex	Wt	*BirthDt	*MBC	CE	*AI	HD	Removal	Simbrah	Name (24 Characters and Spaces)	Reg	Cert			
<b>Calf Data</b>	Wt	DI	MC	PU	*HPS	*Color	HipHt	SheathSc	Year1	Wt	DI	FU	Sex	HipHt	ScrotalCirc	PelwCht	PelwWidth	
	Acct # _____ Business Name or First / Last Name _____ Address, City, State Zip _____																	
<b>Transfer</b>	Acct # _____ Business Name or First / Last Name _____ Address, City, State Zip _____																	
<b>Breeding Data</b>	Open	ASire1RegNbr	ASire1BrfDt	ASire1RegNbr	ASire1BrfDt	ASire2RegNbr	ASire2BrfDt	PassSire1RegNbr	PassSire1Indt	PassSire1OutDt	PassSire2RegNbr	PassSire2Indt	PassSire2OutDt	Mail To : Buyer _____ Seller _____				

<b>Dam Data</b>	DonorDamNbr	DonorDamTat	*BirthDamNbr	BirthDamTat	BirthDamBirthDt	BirthDamBrfCds	Dam Prod	Prod Year	Dam Wt	Dam Wt Dt	Dam Hght	Cow BCS						
	*SireNbr	*AnnmTat	*TatLoc	*Sex	Wt	*BirthDt	*MBC	CE	*AI	HD	Removal	Simbrah	Name (24 Characters and Spaces)	Reg	Cert			
<b>Calf Data</b>	Wt	DI	MC	PU	*HPS	*Color	HipHt	SheathSc	Year1	Wt	DI	FU	Sex	HipHt	ScrotalCirc	PelwCht	PelwWidth	
	Acct # _____ Business Name or First / Last Name _____ Address, City, State Zip _____																	
<b>Transfer</b>	Acct # _____ Business Name or First / Last Name _____ Address, City, State Zip _____																	
<b>Breeding Data</b>	Open	ASire1RegNbr	ASire1BrfDt	ASire1RegNbr	ASire1BrfDt	ASire2RegNbr	ASire2BrfDt	PassSire1RegNbr	PassSire1Indt	PassSire1OutDt	PassSire2RegNbr	PassSire2Indt	PassSire2OutDt	Mail To : Buyer _____ Seller _____				

# Standard Codes

for data entry and registration



## Breed Codes - Reporting breeds of non registered dams

AN= Angus	CS= Commercial Simmental *Non-Registered	LO = Lowline Angus
AR= Red Angus	DE= Devon	MA = Maine-Anjou
BM= Beefmaster	GA= Galloway	SA= Salers
BN= Brangus	GV= Gelbvieh	SG= Santa Gertrudis
BR= Brahman	HH= Horned Hereford	SH= Scotch Highland
BS= Brown Swiss	HO= Holstein	SP=Polled Shorthorn
BV= Braunvieh	HP= Polled Hereford	SS= Shorthorn
CA= Chianina	KB= Kobe (Wagyu)	TA= Tarentaise
CH= Charolais	LM= Limousin	

**Examples** – \*Make sure to include spaces between percentage and breed codes, formatting shown below. Determine breed to the best of your ability, using (MX) to indicate mix or unknown breeds is not valid

Angus = **PB AN**                      Angus/Simmental = **1/2 AN 1/2 CS**                      Commercial Simmental = **PB CS**  
 Angus/Maine Anjou/Chianina = **1/2 AN 1/4 MA 1/4 CA**

## Dam Data

**Dam Prod (Dam Productivity)** – Use if there is no calf to report

1 = Calf/Calves Stillborn	8 = Exposed and Failed to Conceive—Moved to Next Year
2 = Aborted	9 = Exposed and Failed to Conceive—Removed from Herd
3 = Not Exposed to calve in given season/year	10 = Calving Interval Overlaps Season (Dec-Jan) (Jun-Jul)
5 = ET Donor	11 = Bred—but Sold, Removed or Died Prior to Calving
6 = ET Recipient	12 = Cow Calved—Calf Not Found Intact or at All
7 = Exposed and Failed to Conceive—Moved to Next Season	

**Body Condition Score (BCS)** for beef cows

- 1 = Emaciated-cow is extremely emaciated, no palpable fat over the backbone, loin edge, hipbones or ribs.
- 2 = Poor-cow still appears somewhat emaciated but tail head and ribs less prominent.
- 3 = Thin-ribs are still individually identifiable, obvious palpable fat along backbone and over tail head.
- 4 = Borderline-individual ribs are no longer visually obvious. Some fat covers ribs, back bones, and hipbones.
- 5 = Moderate-cow has good overall appearance; fat cover over ribs feels spongy, palpable fat of either side of tail head.
- 6 = High Moderate-firm pressure needed to feel backbone of cow, high degree of fat palpable over ribs.
- 7 = Good-cow appears fleshy and obviously carries considerable fat, some fat around vulva and in crotch.
- 8 = Fat-cow very fleshy and over conditioned, large fat deposits over ribs, around tail head, and below vulva.
- 9 = Extremely Fat-cow obviously is extremely wastey and patchy, blocky appearance, bone structure no longer visible.

## Calf Data

**SireNbr (Sire Registration Number)** – If sire is not on file with ASA, calf breed composition must be entered. Please see listing of breed codes and examples. Calves out of unregistered sires cannot be registered.

**Tattoo Year Letter** – Unique permanent identification containing the letter representing the year of birth

**C** = 2015      **D** = 2016      **E** = 2017      **F** = 2018      **G** = 2019      **H** = 2020      **J** = 2021      **K** = 2022

**TattLoc (Tattoo Location)** – Codes for the location of tattoo or brand if not tattooed on the animal

**BE**= Both Ears      **RE**= Right Ear      **RH**= Right Hip      **RS**= Right Shoulder      **RR**= Right Rib  
**LE**= Left Ear      **LH**= Left Hip      **LS**= Left Shoulder      **LR**= Left Rib

**Sex Code:** **B** = Bull      **S** = Steer      **C** = Heifer/Cow

\*Only males castrated prior to weaning measurements should be designated as S(teer) at birth. Males castrated at weaning or later should be designated S at yearling

**MBC – (Multiple Birth Code)**

1 = S = Single                      3 = TR = Triplets                      6 = FE = Frozen Embryo                      8 = ETTO = ET Twin, Opposite sex  
 2 = TS = Twin, same sex      4 = TO = Twin, opposite sex      7 = ETTS = ET Twin, Same sex      9 = ET = Fresh Embryo Transplant

**HD (Herd Unit)** – One digit number used to designate different contemporary groups at birth or different herd ID's

**AI (Breeding Method):** **Y** = AI bred      **N** = Pasture bred

### Calf Data (continued)

**CE (Calving Ease)** – Indicates how easily calf was born \*Up to 2 digits can be designated

**Primary Codes**

1 = Born Unassisted    3 = Hard Pull    5 = Abnormal Presentation  
2 = Easy Pull    4 = Cesarean

**Secondary Codes**

6 = Dead on Arrival  
7 = Premature

This code indicates how easily a calf was born. Every calf should have a primary code. In some cases 2 codes may apply; report a primary code first followed by another primary code or a secondary code. If a calf's birth was unobserved, use a 1 as the primary code. If a calf was dead on arrival, report the appropriate primary code followed by a 6 for dead on arrival. Examples: Use 36 to indicate a hard pull and dead on arrival. Use a 52 to indicate an abnormal presentation and easy pull.

**Calf Removal Code – Pre-Weaning**

20 = Born Alive—Died Disease    23 = Died at Birth—Defect    26 = Stillborn—Full Term  
21 = Born Alive—Died Other    24 = Died at Birth—Other  
22 = Died at Birth—Calving Difficulty    25 = Other

**Calf Removal Code - Post-Weaning**

30 = Appearance    33 = Died—Other    36 = Performance  
31 = Color    34 = Failed to Conceive    37 = Other  
32 = Died—Disease    35 = Feet and Legs    38 = Temperament

**Simbrah:** Y = Yes, designate as Simbrah    N or blank = Not Simbrah

**Reg (Registration Request)** – Code used to request registration

N = Reporting data, registration not requested  
Y = Register as Simmental  
T = Register as Simmental and also transfer the registration certificate

**Cert (Certificate)** – Code used to request a printed registration certificate

N = Paper registration certificate will not be printed  
Y = Paper registration certificate will be printed

### Weaning Data

**Standard Age Window for contemporary grouping**– If weaning age is outside of 160-250 days, calf will not be included in the genetic evaluation.

**MC (Management Code)**- Indicates supplemental feed

1 = Dam only    2 = Dam with Creep    3 = Without Dam, Bucket Fed    4 = Twin or Foster Dam

**PU (Pasture Unit)** – One digit number used to designate calves managed in different groups or environments. Ex: one group of calves may have been in a better pasture than another group of calves.

**HPS (Horned/Polled/Scurred):** H = Horned    P = Polled    S = Scurred

**Color:** R = Red    G = Gray    Y = Yellow    W = White    B = Black

**Docility Grading Guidelines**

1 = **Docile.** Mild disposition. Gentle and easily handled. Stands and moves slowly during processing. Undisturbed, settled, somewhat dull. Does not pull on headgate when in chute. Exits chute calmly.  
2 = **Restless.** Quieter than average, but may be stubborn during processing. May try to back out of chute or pull back on headgate. Some flicking of tail. Exits chute promptly.  
3 = **Nervous.** Typical temperament is manageable, but nervous and impatient. A moderate amount of struggling, movement and tail flicking. Repeated pushing and pulling on headgate. Exits chute briskly.  
4 = **Flighty (Wild).** Jumpy and out of control, quivers and struggles violently. May bellow and froth at the mouth. Continuous tail flicking. Defecates and urinates during processing. Frantically runs fence line and may jump when penned individually. Exhibits long flight distance and exits chute wildly.  
5 = **Aggressive.** May be similar to score 4, but with added aggressive behavior, fearfulness, extreme agitation, and continuous movement which may include jumping and bellowing while in chute. Exits chute frantically and may exhibit attack behavior when handled alone.  
6 = **Very Aggressive.** Extremely aggressive temperament. Thrashes about or attacks wildly when confined in small, tight places. Pronounced attack behavior.

### Yearling Data

**Standard Age Window for contemporary grouping** – If yearling age is outside of 330-440 days, calf will not be included in the genetic evaluation.

**FU (Feeding Unit)** - One digit used to designate calves under different feeding regimes after weaning. EX: some bull may have been on a high ration while others were not.

**Sex** – Used to designate sex at Yearling:    B = Bull    C = Female    S = Steer